Using Shipyard Portable Tools

Pre-Test				
NA	\ME	Ξ:	DATE:	
Tre	ue (or Fals	e: For each statement below, circle T or F	
1.	Т	F	Hand tools are considered an extension of our hands and arms.	
2.	Т	F	Hand tools should be visually checked before each use.	
3.	Т	F	Hammer handle length does not matter.	
4.	Т	F	Hammers with a cracked claw can be used to "hammer" but not	to "pull".
5.	Т	F	A safety knife should not be used on board a ship.	

Multiple Choice: For each of the following questions, circle the most appropriate letter

- 6. While using a safety knife, always cut
 - a. Away from your body
 - b. On a hard surface
 - c. Both 'a' and 'b'
 - d. None of the above
- 7. A safety knife should be
 - a. Oiled
 - b. Sharp
 - c. Both 'a' and 'b'
- 8. A wrench can be used
 - a. As a hammer
 - b. While spreaders are sprung
 - c. Both are acceptable
 - d. Neither are acceptable

This material was produced under grant SH-22239-11-60-F-6 from the Occupational Safety and Health Administration, U.S. Department of Labor. It does not necessarily reflect the views or policies of the U.S. Department of Labor, nor does mention of trade names, commercial products or organizations imply endorsement by the U.S. Government.


- 9. Most experts recommend that torque wrenches be checked:
 - a. Weekly
 - b. At least every year
 - c. Every day
 - d. Whenever you remember
- 10. A "mushroom" on a chisel should be
 - a. Removed by a grinder
 - b. Removed by a hammer
 - c. Left alone
 - d. "Mushrooms" do not apply to chisels
- 11. A chisel can be used
 - a. Like a hammer
 - b. With a hammer
 - c. As a screwdriver
 - d. None of the above

True or False: For each statement below, circle T or F

- 12. T F An offset screwdriver is used like a wrench.
- 13. T F An impact screwdriver is designed to be hit by a hammer.

Circle the letter of the proper pliers.

14. ABCDE	Slipjoint
15. ABCDE	Needle nose
16. ABCDE	Multi-groove/ Channel Lock
17. ABCDE	Diagonal
18. ABCDE	Vise Grip/ Locking



Fill in the blank

- 19. A SNIPS is used to cut thin sheets of metal or carpet.
- 20. Always wear Gloves when cutting to protect your hands.
- 21. The cutting <u>Blade</u> of a hacksaw is replaceable.

True or False: For each statement below, circle T or F

- 22. T F Clean each tool before placing it back in the tool box.
- 23. T F It isn't necessary to release the tension on a "clicker"-type torque wrench.
- 24. T F It is usually the employer's responsibility to provide PPE.
- 25. T F PPE is worn to grind if the grinder guard is broken.
- 26. T F Always start and stop the grinder on or near the material.

Multiple Choice: For each of the following questions, circle the most appropriate letter

- 27. Before mounting an abrasive wheel on a grinder, you should perform a
 - a. Ring Test
 - b. Visual Inspection
 - c. Drop Test
 - d. Both 'a' and 'b'
- 28. A drill should have
 - a. A Constant Pressure Switch
 - b. On/Off Switch
 - c. Only 'a'
 - d. Both 'a' and 'b'
- 29. To prevent the wheel from cracking on an abrasive wheel, check
 - a. With your supervisor
 - b. The brand name
 - c. Guidelines of the wheel
 - d. Serial Number

- 31. You should check the condition of power cords and plugs:
 - a. Weekly
 - b. At the end of the day
 - c. After lunch
 - d. Before each use

True or False: For each statement below, circle T or F

- 32. T F It is recommended to predrill all holes.
- 33. T F Drill slower for metal and high speed for thick wood.
- 34. T F A stringer light can be used as an extension cord provided it is 18 gauge.